

Introduction

Our art nouveau Avalon suite is the combination of two antique patterns: Olympia and Alby. We collected the ca 1900's antique originals and faithfully reproduce them in stamped brass just like they were made over 100 years ago. Unlacquered, each piece will acquire an antique patina with time. This suite is compatible with tubular latches and traditional mortise locks.

Stock Finishes



Antiqued Brass



Unlacquered Brass

Compatible Doorknobs



Glass pg. 7C



Ceramic pg. 7B

Doorknobs



#0101.US3A Unlacquered Brass

#0101.US7 Antiqued Brass





Set includes pair of doorknobs, set screws, 4 in. spindle, and washers.

Rosette



Sold individually with 1/2" screws. Not compatible with pre-bored doors.

#0102.US3A Unlacquered Brass

#0102.US7 Antiqued Brass

Privacy (Tube Latch)

#0103.US3A Unlacquered Brass

#0103.US7 Antiqued Brass

2" diameter 5/8" opening

Doorknob & Rosette Set



Passage

#0104.US3A Unlacquered Brass

#0104.US7 Antiqued Brass

#0105.US3A

#0105.US7

Privacy (Tube Latch)

Unlacquered Brass



Antiqued Brass

2 1/4" diameter

2 1/4" projection

Set includes pair of doorknobs, rosettes, spindle, 1/2" brass screws.

- *Passage latch pg. 8A-2
- *Privacy latch pg. 8A-2
- *Dummy spindles pg. 6B-2

Tubular Back Plates



Compatible with pre-bored doors. Sold by the pair with 5/8" brass screws.

- *Passage latch pg. **8A-2**
- *Privacy latch pg. 8A-2
- *Dummy spindles pg. 6B-2

Passage

#0106.US3A Unlacquered Brass #0106.US7 Antiqued Brass

Privacy

#0107.US3A Unlacquered Brass

#0107.US7 Antiqued Brass

7 ^{1/2}″ x 2 ^{1/2}″ 5/8″ opening

Keyed Mortise Lock Back Plates



Sold by the pair with 5/8" screws. *Keyed mortise lock pg. **8A-3**

#0108.US3A

#0108.US7 Antiqued Brass

Unlacquered Brass

7 ^{1/2}″ x 2 ^{1/2}″ 5/8″ opening

Privacy Mortise Lock Back Plates



#0109.US3A Unlacquered Brass

#0109.US7 Antiqued Brass

7 ^{1/2}″ x 2 ^{1/2}″ 5/8″ opening

One plate has turn piece and one has key hole for emergency access. Sold by the pair with 5/8" screws. *Privacy mortise lock pg. **8A-3**

Tubular Set



Compatible with pre-bored doors. Set includes pair of doorknobs, pair of back plates, spindle, and 5/8" screws.

*Dummy spindles pg. 6B-2

*Passage latch pg. 8A-2

*Privacy latch pg. 8A-2

Passage

#0110.US3A Unlacquered Brass

#0110.US7 Antiqued Brass

Privacy

#0111.US3A Unlacquered Brass #0111.US7 Antiqued Brass

7 ^{1/2} x 2 ^{1/2} Doorknobs: 2 ^{1/4}

Keyed Mortise Lock Set



#0112.US3A Unlacquered Brass

#0112.US7 Antiqued Brass

7 ^{1/2}″ x 2 ^{1/2}″ Doorknobs: 2 ^{1/4}″

Set includes pair of doorknobs, pair of back plates, spindle, and 5/8" screws.

*Keyed mortise lock pg. 8A-3

Privacy Mortise Lock Set



#0113.US3A Unlacquered Brass

#0113.US7 Antiqued Brass

7 ^{1/2}" x 2 ^{1/2}"

Doorknobs: 2 ^{1/4}"

Set includes pair of back plates, pair of doorknobs, spindle, and turn piece. One plate has turn piece and one has key hole for emergency access.

*Privacy mortise lock pg. 8A-3

Passage Pocket Door Handle



#0114.US3A Unlacquered Brass

#0114.US7 Antiqued Brass

8 ^{3/8}" x 2 ^{3/4}" 0" recess

Sold each with 5/8" screws. Surface mounted, door frame will have to be notched out 1/4"

Keyed Pocket Door Handle



#0115.US3A Unlacquered Brass

#0115.US7 Antiqued Brass

8 ^{3/8}″ x 2 ^{3/4}″ 0″ recess

Sold each with 5/8" screws. Surface mounted, door frame will have to be notched out 1/4"

Passage Pocket Set



#0116.US3A Unlacquered Brass

#0116.US7 Antiqued Brass

Handle: 8 ^{3/8}′ x 2 ^{3/4}′ Edge Pull: 5″ x 1″ 2 ^{3/8}′ recess



Set as shown. Surface mounted, door frame will have to be notched out 1/4"
*Jamb bolt (locking function) pg. 11B-18

Single Keyed **Pocket Door Set**



#0117.US3A **Unlacquered Brass**

#0117.US7 **Antiqued Brass**

Handle: 8 3/8" x 2 3/4" 0" recess Pocket Door lock specifications: go to pg. 14A-8 Strike Plate: 3" x 1"

Set as shown. Surface mounted, door frame has to be notched out 1/4". Minimal door thickness 1 3/4"

Double Keyed Pocket Door Set



#0118.US3A **Unlacquered Brass**

#0118.US7 **Antiqued Brass**

Handle: 8 3/8" x 2 3/4" 0" recess **Pocket Door lock** specifications: go to pg. 14A-8

Includes 2 of each pocket door handles, door locks, and door keys. Surface mounted, door frame has to be notched out 1/4". Minimal door thickness 1 3/4"

Push Plates



#0119.US7

Antiqued Brass

#0119.US3A

Unlacquered Brass

10 1/4" x 3"

Sold by the pair with 5/8" screws.

Escutcheon



#0120.US3A **Unlacquered Brass**

#0120.US7 **Antiqued Brass**

2 1/4" x 1 1/4"

Sold each with 1/2" screws.

Window Lift

(Small Pocket Door Handle)



Sold each with 5/8" screws. Surface mounted.

#0121.US3A #0121.US7 Unlacquered Brass Antiqued Brass

5 1/2" x 1 3/4"

Mechanical Doorbell





Spindle plate fits 1 3/4" thick door. Longer spindles available upon request.

#0122.US3A #0122.US7 Unlacquered Brass Antiqued Brass

Turn: 4" x 1 ^{3/4"} *Bell*: 4" diameter

Doorbell Button



#0125.US3A Unlacquered Brass

#0125.US7 Antiqued Brass

4" x 1 3/4"

For standard low voltage wiring.

Entry Set



#0126.US3A Unlacquered Brass

#0126.US7 Antiqued Brass

10^{1/4}" x 3" Doorknobs: 2 ^{1/4}" Knob to cylinder: 3 ^{7/16}" Knob to turn: 2 ^{1/4}"

Mortise lock and cylinder sold separately. Compatible with Baldwin exterior mortise locks. Can also be customized to fit existing locks. *Entry mortise lock pg. 8A-7

*Colling Into tase lock pg. 6A-7

*Cylinder pg. 8A-7

Entry Dummy Set



Dummy Spindles included.

#0127.US3A Unlacquered Brass

#0127.US7 Antiqued Brass

10^{1/4}" x 3" Doorknobs: 2 ^{1/4}"