

Window

Introduction

Sash lifts are surface mounted two per window on the bottom sash. Window lifts are recessed into the window sash and are also used two per window.

Our reproduction window locks hold the top and bottom sashes tightly together to prevent rattle and to eliminate air gaps. The Oriental window lock works by lifting the handle, rotating the lock, releasing the handle and snapping it into place. The teapot lock has a press button release that allows the lock to rotate. If the mounting area is uneven where the top sash meets the bottom sash, a banjo lock is indicated. It is also used to hold the window open at any position.

Window

Scroll Window Lock



#3933.US9A
Polished Bronze

1 ³/₈" x 2 ⁵/₈"

#3933.US9B
Antiqued Bronze

Plate dimensions:
1/2" x 2 ⁵/₈"

Oriental Window Lock



#1383.US9A
Polished Bronze

2 ¹/₈" x 1 ¹/₈" x 1 ³/₈"

#1383.US9B
Antiqued Bronze

Plate dimensions:
2 ¹/₁₆" x 2 ¹/₁₆"

Plain Window Lock



#3912.US19C
Clear Coated Iron

1 ⁵/₁₆" x 2 ¹/₂"
Plate dimensions:
9/16" x 2 ¹/₂"

Teapot Window Lock



#3934.US19C
Clear Coated Iron

1 ³/₄" x 2 ¹/₂"
Plate dimensions:
7/8" x 2 ¹/₂"

Windsor Window Lock



#3913.US19C
Clear Coated Iron

1 ³/₈" x 2 ¹/₂"
Plate dimensions:
1/2" x 2 ¹/₂"

Victorian Window Lock




#3914.US19C
Clear Coated Iron

1 ³/₈" x 2 ¹/₂"
Plate dimensions:
1/2" x 2 ¹/₂"

Window

Rectangular Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 3C

#1234.XXX

1 1/2" x 3"
1/8" recess

* XXX - Available finishes
US3A, US7, US14, US10B

Beaded Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 1B

#0225.XXX

1 3/4" x 4 1/4"
7/16" recess

* XXX - Available finishes
US3, US3A, US7, US8

Lorraine Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 3D

#0921.US10B

1 1/4" x 4 1/4"
5/8" recess

Avalon Window Lift



Sold each with 5/8" screws.
Surface mounted. To see full pattern details, go to pg. 3B

#0121.US3A
Unlacquered Brass

#0121.US7
Antiqued Brass

5 1/2" x 1 3/4"

Window

Egg & Dart Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 1A

#0826.XXX

1 9/16" x 3"
3/8" recess

* XXX - Available finishes

US3, US3A, US7, US14,
US10B

Roanoke Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 1C

#1534.XXX

1 1/2" x 3 1/2"
3/8" recess

* XXX - Available finishes

US3, US3A, US7, US8

Rope Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 1D

#1621.XXX

2" x 3 1/2"
1/2" recess

* XXX - Available finishes

US3, US3A, US7

Oriental Window Lift



Sold each with 5/8" screws. To see full pattern details, go to pg. 2A

#1384.XXX

1 7/8" x 3"
1/2" recess

* XXX - Available finishes

US9A, US9B

Window

Butterfly Sash Lift



#3932.US9A
Polished Bronze

#3932.US9B
Antiqued Bronze

7/8" x 1 9/16"
3/4" projection

Scroll Sash Lift



#3905.US9A
Polished Bronze

#3905.US9B
Antiqued Bronze

7/8" x 1 1/2"
3/4" projection

Plain Iron Sash Lift



#3907.US19C
Clear Coated Iron

1 5/8" x 7/8"
3/4" projection

Oriental Sash Lift



#1385.US9A
Polished Bronze

#1385.US9B
Antiqued Bronze

1 1/2" x 1 7/8"
3/4" projection

Roanoke Sash Lift



#1535.XXX

* XXX - Available finishes
US3, US3A, US7, US8

1" x 2"
3/4" projection

Heavy Iron Handle



#3936.US19C
Clear Coated Iron

4 3/8" C to C

Window

Oriental Lift Latch



#1387.US9A
Polished Bronze

#1387.US9B
Antiqued Bronze

Each mounting plate:
1 7/8" x 7/8"

Oriental Shutter Hinge



#1388.US9A
Polished Bronze

#1388.US9B
Antiqued Bronze

1 1/4" x 2"

Rice Lift Latch



#1488.US9A
Polished Bronze

#1488.US9B
Antiqued Bronze

Each mounting plate:
1 7/8" x 7/8"

Banjo Sash Lock



#3917.XXX

* XXX - Available finishes
US3, US3A, US10B,
US14, US14B

This is mounted on the frame of the window with the foot against the top of the bottom sash. The handle drops down to push out the foot and hold the sash in any position.